

Ilford HP5+

Film	Developer	Dilution	ASA/ISO	35mm	120	Sheet	Temp	Notes
Ilford HP5+	510-Pyro	1+100	400	8.25	9	8.25	20C	
Ilford HP5+	510-Pyro	1+100	400	6.5	6.5	6.5	21C	[29a][82]
Ilford HP5+	510-Pyro	1+100	800	13.5	13.5	13.5	20C	
Ilford HP5+	510-Pyro	1+100	1600	28	28	28	20C	
Ilford HP5+	777	stock	400	11-15	11-15	11-15	24C	
Ilford HP5+	ACU-1	1+5	400	10.5	10.5	10.5	21C	
Ilford HP5+	ACU-1	1+5	800	10.5	10.5	10.5	21C	
Ilford HP5+	ACU-1	1+10	800	10	10	10	21C	
Ilford HP5+	Acufine	stock	400	4.5	4.5	4.5	20C	
Ilford HP5+	Acufine	stock	640	6.5	6.5	6.5	21C	[56]
Ilford HP5+	Acufine	stock	800	6.5	6.5	6.5	21C	[56]
Ilford HP5+	Acufine	stock	1600	9.5	9.5	9.5	20C	
Ilford HP5+	Acurol-N	1+50	200	12	12	12	20C	[a04]
Ilford HP5+	Acurol-N	1+70	200	20.5	20.5	20.5	22C	[a05]
Ilford HP5+	Acurol-N	1+100	200	25.5	25.5	25.5	24C	[a06]
Ilford HP5+	Adox HR-DEV	1+30	400	12	12	12	20C	[a04]
Ilford HP5+	Adox HR-DEV	1+14	1000	15	15	15	20C	[a11]
Ilford HP5+	ADX II	1+24	400	8	8	8	20C	
Ilford HP5+	Agfa 12	stock	800	8	8	8	20C	
Ilford HP5+	Agfa Ansco 48M	1+1	250	5	5	5	20C	
Ilford HP5+	Agfa Ansco 72	1+19	250	5.5	5.5	5.5	20C	
Ilford HP5+	Amaloco AM74	1+7	400	5	5	5	20C	
Ilford HP5+	Amaloco AM74	1+7	800	7	7	7	20C	
Ilford HP5+	Arista Liquid	1+9	400	7	7	7	20C	
Ilford HP5+	Arista Liquid	1+9	400	6	6	6	24C	
Ilford HP5+	Arista Liquid	1+19	800	12	12	12	24C	
Ilford HP5+	Arista Premium	1+9	400	7	7	7	20C	
Ilford HP5+	Ars-Imago FD	1+39	200	4	4	4	20C	
Ilford HP5+	Ars-Imago FD	1+39	400	5.25	5.25	5.25	20C	
Ilford HP5+	Ars-Imago FD	1+39	800	8	8	8	20C	
Ilford HP5+	Ars-Imago FD	1+39	1600	13	13	13	20C	
Ilford HP5+	Ars-Imago FE	1+1	200	6.5	6.5	6.5	20C	
Ilford HP5+	Ars-Imago FE	1+1	400	8	8	8	20C	
Ilford HP5+	Ars-Imago FE	1+1	800	10	10	10	20C	
Ilford HP5+	Ars-Imago FE	1+1	1600	12.5	12.5	12.5	20C	
Ilford HP5+	Atomal 49	stock	400	7.5	7.5	7.5	20C	
Ilford HP5+	Atomal 49	stock	400	5.25	5.25	5.25	24C	
Ilford HP5+	Atomal 49	1+1	400	8.45	8.45	8.45	24C	
Ilford HP5+	Atomal 49	stock	800	9	9	9	20C	[a02]
Ilford HP5+	Atomal 49	1+1	1600	18	18	18	20C	[48]
Ilford HP5+	Bellini DF2 Duo Step	stock	640	3+3	3+3	3+3	20C	
Ilford HP5+	Bellini DF2 Duo Step	stock	800	3+3	3+3	3+3	20C	
Ilford HP5+	Bellini DF2 Duo Step	stock	800	5+5	5+5	5+5	27C	[a27]
Ilford HP5+	Bellini FX6a Monobath	stock	400	9	9	9	20C	
Ilford HP5+	Bellini Hydrofen	1+15	400	4	4	4	20C	
Ilford HP5+	Bellini Hydrofen	1+31	400	8	8	8	20C	
Ilford HP5+	Bergger Superfine	1+4	200	14	14	14	24C	
Ilford HP5+	Berspeed	1+1	400	12	12	12	20C	
Ilford HP5+	Berspeed	1+1	400	8.75	8.75	8.75	24C	
Ilford HP5+	Berspeed	1+1	800	17	17	17	20C	
Ilford HP5+	Berspeed	1+1	800	12.25	12.25	12.25	24C	
Ilford HP5+	Berspeed	1+1	1600	22	22	22	20C	

Film	Developer	Dilution	ASA/ISO	35mm	120	Sheet	Temp	Notes
Iford HP5+	Berspeed	1+1	1600	16	16	16	24C	
Iford HP5+	Black/White & Green	1+49	400	15.25	15.25	15.25	20C	
Iford HP5+	Black/White & Green	1+49	800	19.5	19.5	19.5	20C	
Iford HP5+	Black/White & Green	1+49	1600	22	22	22	20C	
Iford HP5+	Caffenol C	stock	400	10	10	10	20C	
Iford HP5+	Caffenol C	stock	12800	40	40	40	20C	
Iford HP5+	Caffenol C-H	stock	1600	18	18	18	20C	
Iford HP5+	Caffenol C-H (rs)	stock	100	12.5	12.5	12.5	20C	
Iford HP5+	Caffenol C-H (rs)	stock	400	15	15	15	20C	
Iford HP5+	Caffenol C-H (rs)	stock	800	17	17	17	20C	
Iford HP5+	Caffenol C-L	stock	400	30	30	30	21C	[35a]
Iford HP5+	Caffenol C-L	stock	1600	70	70	70	20C	[35b]
Iford HP5+	D-23	1+1	200	10	10	10	20C	[a11]
Iford HP5+	D-23	1+3	200	18	18	18	20C	[a21]
Iford HP5+	D-23	stock	400	7.5	7.5	7.5	20C	[a03]
Iford HP5+	D-23	1+1	400	13	13	13	20C	[a03]
Iford HP5+	D-23	1+3	400	20	20	20	20C	[a03]
Iford HP5+	D-23	1+1	800	20	20	20	20C	
Iford HP5+	D-72	1+1	400	8.5	8.5	8.5	22C	
Iford HP5+	D-76	1+1	100	6	6	6	20C	
Iford HP5+	D-76	1+2	200	12.5	12.5	12.5	20C	
Iford HP5+	D-76	1+3	200	14	14	14	20C	[17]
Iford HP5+	D-76	stock	400	7.5	7.5	7.5	20C	
Iford HP5+	D-76	1+1	400	13	13	13	20C	
Iford HP5+	D-76	1+2	400	15.25	15.25	15.25	20C	
Iford HP5+	D-76	1+3	400	20	20	20	20C	
Iford HP5+	D-76	1+5	400	30	30	30	20C	[35a]
Iford HP5+	D-76	stock	800	10.5	10.5	10.5	20C	
Iford HP5+	D-76	1+1	800	16.5	16.5	16.5	20C	
Iford HP5+	D-76	1+2	800	19	19	19	20C	
Iford HP5+	D-76	1+3	800	25	25	25	20C	
Iford HP5+	D-76	stock	1600	14	14	14	20C	
Iford HP5+	D-76	1+1	1600	18	18	18	20C	
Iford HP5+	D-76	1+2	1600	21.5	21.5	21.5	20C	
Iford HP5+	D-76	1+1	3200	25	25	25	20C	
Iford HP5+	D-76	1+5	3200	60	60	60	20C	[35a]
Iford HP5+	D-96	stock	400	7.5	7.5	7.5	20C	
Iford HP5+	Dektol	1+9	400	7	7	7	20C	
Iford HP5+	Dektol	1+10	400	6	6	6	22C	
Iford HP5+	Df96 Monobath	stock	400	6	6	6	21C	[21]
Iford HP5+	Diafine	stock	640	3+3	3+3	3+3	20C	
Iford HP5+	Diafine	stock	800	3+3	3+3	3+3	20C	
Iford HP5+	Diafine	stock	800	5+5	5+5	5+5	27C	[a27]
Iford HP5+	DK-50	1+1	250	5.5	5.5	5.5	20C	
Iford HP5+	DK-50	stock	400	6	6	6	20C	
Iford HP5+	DK-50	stock	400	4.75	4.75	4.75	21C	
Iford HP5+	DK-50	1+1	800	7.5	7.5	7.5	20C	
Iford HP5+	DK-60a	1+3	400	8	8	8	20C	
Iford HP5+	Eco Pro	1+1	100	10.25	10.25	10.25	20C	[56]
Iford HP5+	Eco Pro	1+2	100	12.75	12.75	12.75	20C	[56]
Iford HP5+	Eco Pro	1+3	100	14.5	14.5	14.5	20C	[56]
Iford HP5+	Eco Pro	stock	200	7.5	7.5	7.5	20C	
Iford HP5+	Eco Pro	1+1	200	10.25	10.25	10.25	20C	[56]
Iford HP5+	Eco Pro	1+2	200	12.75	12.75	12.75	20C	[56]

Film	Developer	Dilution	ASA/ISO	35mm	120	Sheet	Temp	Notes
Iford HP5+	Eco Pro	1+3	200	14.5	14.5	14.5	20C	[56]
Iford HP5+	Eco Pro	stock	400	6	6	6	20C	[a01]
Iford HP5+	Eco Pro	stock	400	8.5	8.5	8.5	20C	
Iford HP5+	Eco Pro	1+1	400	12	12	12	20C	
Iford HP5+	Eco Pro	1+2	400	15.5	15.5	15.5	20C	
Iford HP5+	Eco Pro	1+3	400	18	18	18	20C	
Iford HP5+	Eco Pro	1+3	400	13	13	13	21C	[a01]
Iford HP5+	Eco Pro	stock	800	10.5	10.5	10.5	20C	
Iford HP5+	Eco Pro	1+1	800	14.25	14.25	14.25	20C	
Iford HP5+	Eco Pro	1+2	800	18	18	18	20C	
Iford HP5+	Eco Pro	1+3	800	23	23	23	20C	
Iford HP5+	Eco Pro	stock	1600	13	13	13	20C	
Iford HP5+	Eco Pro	1+1	1600	18	18	18	20C	
Iford HP5+	Eco Pro	1+2	1600	21	21	21	20C	
Iford HP5+	Eco Pro	1+3	1600	27.5	27.5	27.5	20C	
Iford HP5+	Eco Pro	1+3	1600	15.5	15.5	15.5	24C	[1]
Iford HP5+	Eco Pro	stock	3200	17.5	17.5	17.5	20C	
Iford HP5+	Eco Pro	stock	3200	9.5	9.5	9.5	24C	[a01]
Iford HP5+	Eco Pro	stock	3200	13	13	13	24C	
Iford HP5+	Eco Pro	1+1	3200	22.5	22.5	22.5	20C	
Iford HP5+	Eco Pro	1+2	3200	28	28	28	20C	
Iford HP5+	Eco Pro	stock	6400	17.5	17.5	17.5	24C	[a24]
Iford HP5+	Emofin	stock	400	5.5+5.5	5.5+5.5	5.5+5.5	20C	
Iford HP5+	Emofin	stock	800	8+8	8+8	8+8	20C	[a02]
Iford HP5+	Emofin	stock	1600	15+15	15+15	15+15	20C	
Iford HP5+	Exactol Lux	1+1+100	125	8	8	8	21C	[40]
Iford HP5+	EXG1	stock	1600	20	20	20	21C	
Iford HP5+	Extend Plus	1+15	400	10	10	10	20C	
Iford HP5+	F76+	1+14	250	9	9	9	20C	[48]
Iford HP5+	F76+	1+9	400	7	7	7	20C	
Iford HP5+	F76+	1+9	400	6	6	6	24C	
Iford HP5+	F76+	1+19	800	12	12	12	24C	
Iford HP5+	FA-1027	1+14	250	5	5	5	22C	[n2a]
Iford HP5+	FA-1027	1+14	320	7.5	7.5	7.5	22C	[n1a]
Iford HP5+	FA-1027	1+9	400	6-7	6-7	6-7	20C	
Iford HP5+	FA-1027	1+14	400	9	9	9	20C	
Iford HP5+	FA-1027	1+14	400	11.75	11.75	11.75	22C	[61]
Iford HP5+	FA-1027	1+14	400	18	18	18	22C	[n1]
Iford HP5+	FA-1027	1+14	400	24	24	24	22C	[n1b]
Iford HP5+	FA-1027	1+20	400	9	9	9	20C	
Iford HP5+	FA-1027	1+9	800	12.5	12.5	12.5	20C	
Iford HP5+	FA-1027	1+9	1600	16.5	16.5	16.5	20C	
Iford HP5+	FD10	1+9	400	7	7	7	20C	
Iford HP5+	FD10	1+14	400	11	11	11	20C	
Iford HP5+	FD10	1+9	800	9	9	9	20C	
Iford HP5+	Finol	1+1+75	250	9.5	9.5	9.5	24C	
Iford HP5+	Finol	1+1+75	320	12	12	12	24C	
Iford HP5+	Fomadon Excel	stock	400	8	8	8	20C	
Iford HP5+	Fomadon Excel	1+1	800	14.5	14.5	14.5	20C	
Iford HP5+	Fomadon LQN	1+10	400	9.5	9.5	9.5	20C	
Iford HP5+	Fomadon LQR	1+10	400	7-9	7-9	7-9	20C	
Iford HP5+	Fomadon P	stock	400	14	14	14	20C	
Iford HP5+	Fomadon R09	1+100	800	60	60	60	24C	[35a]
Iford HP5+	FX-15	1+1	640	16.25	16.25	16.25	21C	[28]

Film	Developer	Dilution	ASA/ISO	35mm	120	Sheet	Temp	Notes
Iford HP5+	FX-15	1+3	640	24	24	24	20C	
Iford HP5+	FX-19	stock	100	10	10	10	20C	
Iford HP5+	FX-37	1+3	640	6.5	6.5	6.5	20C	
Iford HP5+	FX-39	1+9	400	14	14	14	20C	
Iford HP5+	FX-4	stock	1600	7	7	7	25C	
Iford HP5+	FX-55	1+9	400	13.5	13.5	13.5	20C	
Iford HP5+	FX-55	stock	640	15	15	15	21C	
Iford HP5+	HC-110	H	100	6.5	6.5	6.5	21C	[hcH]
Iford HP5+	HC-110	H	200	8	8	8	21C	[hcH]
Iford HP5+	HC-110	A	400	2.5	2.5	2.5	20C	[hcA]
Iford HP5+	HC-110	B	400	5	5	5	20C	[hcB]
Iford HP5+	HC-110	E	400	7.5	7.5	7.5	20C	[hcE]
Iford HP5+	HC-110	H	400	11	11	11	20C	[hcH]
Iford HP5+	HC-110	H	400	9.5	9.5	9.5	23C	[hcH]
Iford HP5+	HC-110	A	800	3.5	3.5	3.5	20C	[hcA]
Iford HP5+	HC-110	B	800	7.5	7.5	7.5	20C	[hcB]
Iford HP5+	HC-110	D	800	9.5	9.5	9.5	20C	[hcD]
Iford HP5+	HC-110	A	1000	4	4	4	20C	[hcA]
Iford HP5+	HC-110	A	1600	5.5	5.5	5.5	20C	[hcA]
Iford HP5+	HC-110	B	1600	11	11	11	20C	[hcB]
Iford HP5+	HC-110	A	3200	9.5	9.5	9.5	20C	[hcA]
Iford HP5+	HC-110	H	3200	38	38	38	20C	[hcH][35b]
Iford HP5+	HC-110	F	6400	150	150	150	22C	[hcF][35a]
Iford HP5+	HC-110	B	12800	140	140	140	20C	[hcB][52]
Iford HP5+	ID-11	1+1	100	6	6	6	20C	
Iford HP5+	ID-11	1+1	200	10	10	10	21C	
Iford HP5+	ID-11	1+3	200	14	14	14	20C	[17]
Iford HP5+	ID-11	1+2	250	15	15	15	20C	
Iford HP5+	ID-11	stock	400	7.5	7.5	7.5	20C	
Iford HP5+	ID-11	1+1	400	13	13	13	20C	
Iford HP5+	ID-11	1+2	400	15.25	15.25	15.25	20C	
Iford HP5+	ID-11	1+3	400	20	20	20	20C	
Iford HP5+	ID-11	1+5	400	30	30	30	20C	[35a]
Iford HP5+	ID-11	stock	800	10.5	10.5	10.5	20C	
Iford HP5+	ID-11	1+1	800	16.5	16.5	16.5	20C	
Iford HP5+	ID-11	1+2	800	19	19	19	20C	
Iford HP5+	ID-11	1+3	800	25	25	25	20C	
Iford HP5+	ID-11	stock	1600	14	14	14	20C	
Iford HP5+	ID-11	1+1	1600	21	21	21	20C	
Iford HP5+	ID-11	1+2	1600	21.5	21.5	21.5	20C	
Iford HP5+	ID-11	1+7	1600	60	60	60	20C	[a03]
Iford HP5+	ID-11	1+1	3200	25	25	25	20C	
Iford HP5+	ID-11	1+5	3200	60	60	60	20C	[35a]
Iford HP5+	ID-68	stock	400	6.5	6.5	6.5	20C	
Iford HP5+	Ifosol 3	1+9	50	2.5	2.5	2.5	22C	
Iford HP5+	Ifosol 3	1+9	200	5	5	5	20C	
Iford HP5+	Ifosol 3	1+14	200	7	7	7	20C	
Iford HP5+	Ifosol 3	1+9	400	6.5	6.5	6.5	20C	
Iford HP5+	Ifosol 3	1+14	400	11	11	11	20C	
Iford HP5+	Ifosol 3	1+14	400	5.5	5.5	5.5	25.5C	[1]
Iford HP5+	Ifosol 3	1+9	800	13.5	13.5	13.5	20C	
Iford HP5+	Ifosol 3	1+14	800	19.5	19.5	19.5	20C	
Iford HP5+	Ifosol 3	1+9	1600	17	17	17	20C	
Iford HP5+	Ifosol 3	1+9	3200	24.5	24.5	24.5	20.5C	

Film	Developer	Dilution	ASA/ISO	35mm	120	Sheet	Temp	Notes
Ilford HP5+	Ilfotec DD	stock	200	6	6	6	24C	
Ilford HP5+	Ilfotec DD	stock	400	10	10	10	20C	
Ilford HP5+	Ilfotec DD	stock	400	7	7	7	24C	
Ilford HP5+	Ilfotec DD	stock	800	10	10	10	24C	
Ilford HP5+	Ilfotec DD	stock	1600	14	14	14	24C	
Ilford HP5+	Ilfotec DD	stock	3200	18	18	18	24C	
Ilford HP5+	Ilfotec DD-X	1+4	200	7	7	7	20C	
Ilford HP5+	Ilfotec DD-X	1+4	400	9	9	9	20C	
Ilford HP5+	Ilfotec DD-X	1+4	400	7	7	7	24C	
Ilford HP5+	Ilfotec DD-X	1+9	400	15.75	15.75	15.75	20C	
Ilford HP5+	Ilfotec DD-X	1+9	400	11.75	11.75	11.75	24C	
Ilford HP5+	Ilfotec DD-X	1+9	640	9	9	9	24C	
Ilford HP5+	Ilfotec DD-X	1+4	800	10	10	10	20C	
Ilford HP5+	Ilfotec DD-X	1+4	800	8	8	8	24C	
Ilford HP5+	Ilfotec DD-X	1+9	800	40	40	40	20C	[52]
Ilford HP5+	Ilfotec DD-X	1+4	1600	13	13	13	20C	
Ilford HP5+	Ilfotec DD-X	1+4	1600	10	10	10	24C	
Ilford HP5+	Ilfotec DD-X	1+9	1600	16	16	16	24C	
Ilford HP5+	Ilfotec DD-X	1+4	3200	20	20	20	20C	
Ilford HP5+	Ilfotec DD-X	1+4	3200	14.5	14.5	14.5	24C	
Ilford HP5+	Ilfotec HC	1+31	400	6.5	6.5	6.5	20C	
Ilford HP5+	Ilfotec HC	1+47	400	9	9	9	20C	
Ilford HP5+	Ilfotec HC	1+15	800	5	5	5	20C	
Ilford HP5+	Ilfotec HC	1+31	800	9.5	9.5	9.5	20C	
Ilford HP5+	Ilfotec HC	1+31	800	6.75	6.75	6.75	23C	
Ilford HP5+	Ilfotec HC	1+15	1600	7.5	7.5	7.5	20C	
Ilford HP5+	Ilfotec HC	1+31	1600	14	14	14	20C	
Ilford HP5+	Ilfotec HC	1+15	3200	11	11	11	20C	
Ilford HP5+	Ilfotec LC29	1+29	100	7	7	7	20C	
Ilford HP5+	Ilfotec LC29	1+19	200	5	5	5	20C	
Ilford HP5+	Ilfotec LC29	1+19	400	6.5	6.5	6.5	20C	
Ilford HP5+	Ilfotec LC29	1+29	400	9	9	9	20C	
Ilford HP5+	Ilfotec LC29	1+9	800	5	5	5	20C	
Ilford HP5+	Ilfotec LC29	1+19	800	9.5	9.5	9.5	20C	
Ilford HP5+	Ilfotec LC29	1+9	1600	7.5	7.5	7.5	20C	
Ilford HP5+	Ilfotec LC29	1+19	1600	14	14	14	20C	
Ilford HP5+	Ilfotec LC29	1+9	3200	12.5	12.5	12.5	20C	[36]
Ilford HP5+	Ilfotec LC29	1+9	3200	20	20	20	20C	[61]
Ilford HP5+	Meritol-Metol	stock	400	16	16	16	21C	
Ilford HP5+	Microdol-X	1+1	50	9.5	9.5	9.5	20C	[60]
Ilford HP5+	Microdol-X	stock	400	11	11	11	20C	
Ilford HP5+	Microdol-X	1+3	400	25	25	25	20C	
Ilford HP5+	Microphen	1+3	200	16	16	16	20C	
Ilford HP5+	Microphen	stock	400	6.5	6.5	6.5	20C	
Ilford HP5+	Microphen	1+1	400	12	12	12	20C	
Ilford HP5+	Microphen	1+3	400	23	23	23	20C	
Ilford HP5+	Microphen	stock	800	8	8	8	20C	
Ilford HP5+	Microphen	1+1	800	15	15	15	20C	
Ilford HP5+	Microphen	stock	1600	11	11	11	20C	
Ilford HP5+	Microphen	1+1	1600	21	21	21	20C	
Ilford HP5+	Microphen	stock	3200	16	16	16	20C	
Ilford HP5+	Microphen	stock	6400	20.5	20.5	20.5	20C	
Ilford HP5+	Mocon	1+64	400	15	15	15	20C	[a04]
Ilford HP5+	Moersch eco	2+1+40	400	13.5	13.5	13.5	20C	

Film	Developer	Dilution	ASA/ISO	35mm	120	Sheet	Temp	Notes
Ilford HP5+	Neofin Blue	stock	400	18	18	18	20C	[80][a01]
Ilford HP5+	Neofin Blue	1+10	400	4.5	4.5	4.5	20C	
Ilford HP5+	Neopress HC	1+15	400	3	3	3	20C	[28b]
Ilford HP5+	Neopress HC	1+31	400	4	4	4	20C	[28a]
Ilford HP5+	Neopress HC	1+31	400	6	6	6	20C	[28b]
Ilford HP5+	Neopress HC	1+15	800	3.5	3.5	3.5	20C	[28a]
Ilford HP5+	Neopress HC	1+15	1600	6	6	6	20C	[28a]
Ilford HP5+	Nucleol BF200	4+3	400	10.5	10.5	10.5	20C	
Ilford HP5+	Nucleol BF200	4+3	800	12.5	12.5	12.5	20C	
Ilford HP5+	Nucleol BF200	7+4	1600	16	16	16	20C	
Ilford HP5+	Nucleol BF200	12+7	3200	27	27	27	20C	
Ilford HP5+	Obsidian Aqua	1+500	400	12	12	12	20C	[a14]
Ilford HP5+	Ornano Gradual ST20	1+9	400	11-12.5	11-12.5	11-12.5	20C	[78]
Ilford HP5+	Ornano Gradual ST20	1+9	800	15	15	15	20C	[78]
Ilford HP5+	Ornano Gradual ST20	1+9	1600	18.5	18.5	18.5	20C	[78]
Ilford HP5+	Paranol S	1+25	400	11	11	11	20C	
Ilford HP5+	Paranol S	1+50	400	25	25	25	20C	
Ilford HP5+	Paranol S	1+25	800	14	14	14	20C	
Ilford HP5+	Paranol S	1+80	1600	120	120	120	23C	[52]
Ilford HP5+	Parodinal	1+25	800	8	8	8	20C	
Ilford HP5+	Parvofin	stock	400	7.5	7.5	7.5	20C	
Ilford HP5+	PC-TEA	1+50	200	8	8	8	20C	
Ilford HP5+	Perceptol	stock	50	9	9	9	20C	[56]
Ilford HP5+	Perceptol	stock	100	9	9	9	20C	[56]
Ilford HP5+	Perceptol	stock	125	10	10	10	20C	
Ilford HP5+	Perceptol	stock	200	11	11	11	20C	[56]
Ilford HP5+	Perceptol	1+2	200	14.5	14.5	14.5	20C	
Ilford HP5+	Perceptol	1+2	250	12.5	12.5	12.5	24C	
Ilford HP5+	Perceptol	1+1	320	18	18	18	20C	
Ilford HP5+	Perceptol	1+3	320	20	20	20	20C	
Ilford HP5+	Perceptol	stock	400	11	11	11	20C	[56]
Ilford HP5+	Perceptol	1+1	400	15	15	15	20C	
Ilford HP5+	Perceptol	1+3	400	25	25	25	20C	
Ilford HP5+	Perceptol	1+3	3200	41	41	41	26C	[a11]
Ilford HP5+	PMK	1+2+100	200	13	13	13	21C	[a07]
Ilford HP5+	PMK	1+2+100	200	10	10	10	24C	[a07]
Ilford HP5+	PMK	1+2+100	400	12	12	12	20C	[a07]
Ilford HP5+	PMK	1+2+100	400	12.5	12.5	12.5	20C	
Ilford HP5+	PMK	1+2+100	3200	25	25	25	21C	[a07]
Ilford HP5+	PQ Universal	1+19	320	4.5	4.5	4.5	20C	
Ilford HP5+	Promicrol	1+9	400	9-10	9-10	9-10	20C	
Ilford HP5+	Promicrol	1+9	600	11	11	11	20C	[56]
Ilford HP5+	Promicrol	1+14	600	16	16	16	20C	[56]
Ilford HP5+	Promicrol	1+9	800	11	11	11	20C	[56]
Ilford HP5+	Promicrol	1+14	800	16	16	16	20C	[56]
Ilford HP5+	Pyrocat-HD	1+1+100	200	9	9	9	20C	
Ilford HP5+	Pyrocat-HD	1+1+100	200	8	8	8	27C	[63]
Ilford HP5+	Pyrocat-HD	2+3+200	200	12.5	12.5	12.5	20C	
Ilford HP5+	Pyrocat-HD	1+1+90	400	17	17	17	20C	
Ilford HP5+	Pyrocat-HD	2+2+100	400	10	10	10	22C	[1]
Ilford HP5+	Rodinal	1+50	25	7	7	7	20C	
Ilford HP5+	Rodinal	1+25	100	6	6	6	20C	
Ilford HP5+	Rodinal	1+50	100	9	9	9	20C	
Ilford HP5+	Rodinal	1+100	160	20	20	20	20C	[17]

Film	Developer	Dilution	ASA/ISO	35mm	120	Sheet	Temp	Notes
Iford HP5+	Rodinal	1+25	200	4.75	4.75	4.75	20C	[1]
Iford HP5+	Rodinal	1+25	200	5	5	5	20C	
Iford HP5+	Rodinal	1+36	200	7.5	7.5	7.5	20C	[a26]
Iford HP5+	Rodinal	1+50	200	10-13	10-13	10-13	20C	
Iford HP5+	Rodinal	1+75	200	17	17	17	20C	
Iford HP5+	Rodinal	1+50	250	12	12	12	24C	
Iford HP5+	Rodinal	1+25	320	8	8	8	20C	
Iford HP5+	Rodinal	1+25	400	6	6	6	20C	
Iford HP5+	Rodinal	1+50	400	11	11	11	20C	
Iford HP5+	Rodinal	1+50	400	7.25	7.25	7.25	24C	[1][26]
Iford HP5+	Rodinal	1+100	400	16	16	16	20C	
Iford HP5+	Rodinal	1+100	400	80	80	80	21C	[35a]
Iford HP5+	Rodinal	23+1000	400	13.5	13.5	13.5	20C	
Iford HP5+	Rodinal	1+25	800	8	8	8	20C	
Iford HP5+	Rodinal	1+50	800	16	16	16	20C	
Iford HP5+	Rodinal	1+100	800	60	60	60	24C	[35a]
Iford HP5+	Rodinal	1+25	1600	12	12	12	20C	
Iford HP5+	Rodinal	1+50	1600	24	24	24	20C	
Iford HP5+	Rodinal	1+100	1600	120	120	120	20C	[52]
Iford HP5+	Rodinal	1+200	1600	240	240	240	20C	[52]
Iford HP5+	Rodinal	1+25	3200	18	18	18	21C	
Iford HP5+	Rodinal	1+50	6400	52	52	52	20C	[a26]
Iford HP5+	Rollei D74	1+9	400	6	6	6	20C	
Iford HP5+	Rollei D74	1+15	400	8.5	8.5	8.5	20C	
Iford HP5+	Rollei RLS Low Speed	1+4	200	14	14	14	24C	
Iford HP5+	Rollo Pyro	1+2+50	250	9	9	9	21C	
Iford HP5+	Romek PQ7	1+3	400	12	12	12	20C	
Iford HP5+	Silberra Ascorol	1+29	400	8	8	8	20C	
Iford HP5+	Silberra Ascorol	1+29	3200	20	20	20	20C	
Iford HP5+	Silvermax	1+19	400	10	10	10	20C	
Iford HP5+	SP-76EC	1+10	400	6.5	6.5	6.5	20C	
Iford HP5+	Sprint Standard	1+9	400	10	10	10	20C	
Iford HP5+	Sprint Standard	1+9	800	13	13	13	20C	
Iford HP5+	Sprint Standard	1+1	1600	10	10	10	20C	
Iford HP5+	Spur HRX	1+17	400	11	11	11	20C	
Iford HP5+	Spur NHC	1+12	640	9	9	9	20C	[15][a04]
Iford HP5+	Spur NHC	1+9	800	11	11	11	20C	[16][a04]
Iford HP5+	Spur NHC	1+9	1000	14	14	14	20C	[16][a04]
Iford HP5+	Spur SD 2525	1+15	250	6.5	6.5	6.5	20C	
Iford HP5+	Spur SHADOWmax	1+1+34	400	9	9	9	20C	[59][a04][17]
Iford HP5+	Spur SHADOWmax	1+1+34	400	11	11	11	20C	[59][a04]
Iford HP5+	Spur SHADOWmax	1+1+29	500	10	10	10	20C	[59][a04]
Iford HP5+	Spur SHADOWmax	1+1+29	640	13	13	13	20C	[59][a04]
Iford HP5+	Spur SHADOWmax	1+2+22	800	14	14	14	20C	[59][a04]
Iford HP5+	Spur SHADOWmax	1+2+18	1250	15	15	15	20C	[59][a04]
Iford HP5+	Spur SHADOWmax	1+2+18	1600	15	15	15	24C	[59][a04][73]
Iford HP5+	Spur SHADOWmax	2+3+25	1600	15	15	15	24C	[59][a04][74]
Iford HP5+	Spur SLD	1+20	500	11	11	11	20C	[a04]
Iford HP5+	Spur SLD	1+9	640	6	6	6	20C	
Iford HP5+	Spur SLD	1+17	800	13	13	13	24C	[a34][69]
Iford HP5+	Spur SLD	1+7	1600	14	14	14	24C	[a34][69]
Iford HP5+	Spur Speed-Major	1+30	400	10	10	10	20C	[a04]
Iford HP5+	Spur Speed-Major	1+40	400	8	8	8	20C	[17]
Iford HP5+	Spur Speed-Major	1+24	800	11	11	11	20C	[a04]

Film	Developer	Dilution	ASA/ISO	35mm	120	Sheet	Temp	Notes
Iford HP5+	Spur Speed-Major	1+20	1000	12	12	12	20C	[a04]
Iford HP5+	Spur Speed-Major	1+14	1250	12	12	12	20C	[a04]
Iford HP5+	Spur Speed-Major	1+14	1600	13	13	13	20C	[a04]
Iford HP5+	Spur Speed-Major	1+7	2000	15	15	15	20C	[15]
Iford HP5+	Spur Speed-Major	1+9	2000	14	14	14	20C	[a04]
Iford HP5+	Spur Speed-Major	1+7	3200	15	15	15	20C	[16]
Iford HP5+	Spur Speed-Major	1+9	3200	14	14	14	20C	[15]
Iford HP5+	Spur UFP	1+24	400	9	9	9	20C	
Iford HP5+	Studional	1+30	320	6.5	6.5	6.5	20C	
Iford HP5+	Studional	1+15	400	4	4	4	20C	
Iford HP5+	Studional	1+60	800	30	30	30	21C	[35b]
Iford HP5+	Suprol	1+19	400	3.25	3.25	3.25	20C	
Iford HP5+	Tanol	1+1+100	200	12.5	12.5	12.5	24C	[a04]
Iford HP5+	Tanol	1+1+100	250	12	12	12	20C	[a26]
Iford HP5+	Tanol	1+1+100	400	14	14	14	20C	[1]
Iford HP5+	Tanol Speed	1+1+100	400	15	15	15	24C	[40][a02]
Iford HP5+	TMax Dev	1+4	125	4.5	4.5	4.5	20C	[1]
Iford HP5+	TMax Dev	1+4	400	6.5	6.5	6.5	20C	
Iford HP5+	TMax Dev	1+9	400	14	14	14	24C	[a03]
Iford HP5+	TMax Dev	1+9	500	15	15	15	24C	
Iford HP5+	TMax Dev	1+4	800	8	8	8	20C	
Iford HP5+	TMax Dev	1+4	1600	9.5	9.5	9.5	20C	
Iford HP5+	TMax Dev	1+4	3200	11.5	11.5	11.5	20C	
Iford HP5+	TMax Dev	1+4	3200	9.5	9.5	9.5	24C	
Iford HP5+	TMax RS	stock	250	5	5	5	20C	
Iford HP5+	TMax RS	stock	400	6.5	6.5	6.5	20C	
Iford HP5+	TMax RS	stock	800	5	5	5	24C	
Iford HP5+	TMax RS	stock	1600	7	7	7	24C	
Iford HP5+	TMax RS	stock	3200	10.5	10.5	10.5	24C	
Iford HP5+	Ultrafin	1+10	400	4.5	4.5	4.5	20C	[a01]
Iford HP5+	Ultrafin	1+20	400	8	8	8	20C	[a01]
Iford HP5+	Ultrafin	1+20	400	13	13	13	20C	
Iford HP5+	Ultrafin T-Plus	1+4	400	9.25	9.25	9.25	20C	
Iford HP5+	Ultrafin T-Plus	1+10	800	23	23	23	20C	
Iford HP5+	Ultrafin T-Plus	1+4	1600	16	16	16	20C	
Iford HP5+	Ultrafin T-Plus	1+4	3200	23	23	23	20C	
Iford HP5+	Ultrafine Endurance	1+9	400	5.25	5.25	5.25	20C	
Iford HP5+	Ultrafine Liquid	1+2	400	7.5	10		20C	
Iford HP5+	Ultrafine Liquid	1+4	400	11	13		20C	
Iford HP5+	Ultrafine Powder	1+1	400	11	11	11	20C	
Iford HP5+	Uncle Mort's	1+9	400	11	11	11	20C	
Iford HP5+	Uncle Mort's	1+19	400	16	16	16	24C	[15]
Iford HP5+	Uncle Mort's	1+9	800	11	11	11	24C	[15]
Iford HP5+	Uncle Mort's	1+9	1600	14	14	14	24C	[15]
Iford HP5+	Uncle Mort's	1+19	1600	16	16	16	24C	[15]
Iford HP5+	WD2D+	stock	400	9	9	9	20C	
Iford HP5+	Wehner Developer	1+1+18	400	12	12	12	22C	[1]
Iford HP5+	XT-3	1+1	100	10.25	10.25	10.25	20C	[56]
Iford HP5+	XT-3	1+2	100	12.75	12.75	12.75	20C	[56]
Iford HP5+	XT-3	1+3	100	14.5	14.5	14.5	20C	[56]
Iford HP5+	XT-3	stock	200	7.5	7.5	7.5	20C	
Iford HP5+	XT-3	1+1	200	10.25	10.25	10.25	20C	[56]
Iford HP5+	XT-3	1+2	200	12.75	12.75	12.75	20C	[56]
Iford HP5+	XT-3	1+3	200	14.5	14.5	14.5	20C	[56]

Film	Developer	Dilution	ASA/ISO	35mm	120	Sheet	Temp	Notes
Iford HP5+	XT-3	stock	400	6	6	6	20C	[a01]
Iford HP5+	XT-3	stock	400	8.5	8.5	8.5	20C	
Iford HP5+	XT-3	1+1	400	12	12	12	20C	
Iford HP5+	XT-3	1+2	400	15.5	15.5	15.5	20C	
Iford HP5+	XT-3	1+3	400	18	18	18	20C	
Iford HP5+	XT-3	1+3	400	13	13	13	21C	[a01]
Iford HP5+	XT-3	stock	800	10.5	10.5	10.5	20C	
Iford HP5+	XT-3	1+1	800	14.25	14.25	14.25	20C	
Iford HP5+	XT-3	1+2	800	18	18	18	20C	
Iford HP5+	XT-3	1+3	800	23	23	23	20C	
Iford HP5+	XT-3	stock	1600	13	13	13	20C	
Iford HP5+	XT-3	1+1	1600	18	18	18	20C	
Iford HP5+	XT-3	1+2	1600	21	21	21	20C	
Iford HP5+	XT-3	1+3	1600	27.5	27.5	27.5	20C	
Iford HP5+	XT-3	1+3	1600	15.5	15.5	15.5	24C	[1]
Iford HP5+	XT-3	stock	3200	17.5	17.5	17.5	20C	
Iford HP5+	XT-3	stock	3200	9.5	9.5	9.5	24C	[a01]
Iford HP5+	XT-3	stock	3200	13	13	13	24C	
Iford HP5+	XT-3	1+1	3200	22.5	22.5	22.5	20C	
Iford HP5+	XT-3	1+2	3200	28	28	28	20C	
Iford HP5+	XT-3	stock	6400	17.5	17.5	17.5	24C	[a24]
Iford HP5+	Xtol	1+1	100	10.25	10.25	10.25	20C	[56]
Iford HP5+	Xtol	1+2	100	12.75	12.75	12.75	20C	[56]
Iford HP5+	Xtol	1+3	100	14.5	14.5	14.5	20C	[56]
Iford HP5+	Xtol	stock	200	7.5	7.5	7.5	20C	
Iford HP5+	Xtol	1+1	200	10.25	10.25	10.25	20C	[56]
Iford HP5+	Xtol	1+2	200	12.75	12.75	12.75	20C	[56]
Iford HP5+	Xtol	1+3	200	14.5	14.5	14.5	20C	[56]
Iford HP5+	Xtol	stock	400	8.5	8.5	8.5	20C	
Iford HP5+	Xtol	stock	400	6	6	6	20C	[a01]
Iford HP5+	Xtol	1+1	400	12	12	12	20C	
Iford HP5+	Xtol	1+2	400	15.5	15.5	15.5	20C	
Iford HP5+	Xtol	1+3	400	18	18	18	20C	
Iford HP5+	Xtol	1+3	400	13	13	13	21C	[a01]
Iford HP5+	Xtol	stock	800	10.5	10.5	10.5	20C	
Iford HP5+	Xtol	1+1	800	14.25	14.25	14.25	20C	
Iford HP5+	Xtol	1+2	800	18	18	18	20C	
Iford HP5+	Xtol	1+3	800	23	23	23	20C	
Iford HP5+	Xtol	stock	1600	13	13	13	20C	
Iford HP5+	Xtol	1+1	1600	18	18	18	20C	
Iford HP5+	Xtol	1+2	1600	21	21	21	20C	
Iford HP5+	Xtol	1+3	1600	27.5	27.5	27.5	20C	
Iford HP5+	Xtol	1+3	1600	15.5	15.5	15.5	24C	[1]
Iford HP5+	Xtol	stock	3200	17.5	17.5	17.5	20C	
Iford HP5+	Xtol	stock	3200	13	13	13	24C	
Iford HP5+	Xtol	stock	3200	9.5	9.5	9.5	24C	[a01]
Iford HP5+	Xtol	1+1	3200	22.5	22.5	22.5	20C	
Iford HP5+	Xtol	1+2	3200	28	28	28	20C	
Iford HP5+	Xtol	stock	6400	17.5	17.5	17.5	24C	[a24]